



IECEx Certificate of Conformity

INTERNATIONAL ELECTROTECHNICAL COMMISSION IEC Certification System for Explosive Atmospheres

for rules and details of the IECEx Scheme visit www.iecex.com

Certificate No.: **IECEx IBE 18.0015X** Page 1 of 3 [Certificate history:](#)

Status: **Current** Issue No: 0

Date of Issue: 2019-02-19

Applicant: **eltherm production GmbH**
Ernst-Heinkel-Straße 6-10
57299 Burbach
Germany

Equipment: **LED End Light Ex-It-L and Accessible End Termination / Splice Ex-It-S**

Optional accessory:

Type of Protection: **Ex e, Ex t and Ex op is**

Marking: **Ex-It-L**

Ex eb mb op is IIC T6 Gb
Ex op is tb IIIC T80 °C Db

Ex-It-S

Ex eb IIC T6 Gb
Ex tb IIIC T80 °C Db

Approved for issue on behalf of the IECEx
Certification Body:

Dipl.-Ing. Alexander Henker

Position:

Head of Certification Body

Signature:
(for printed version)

Date:

1. This certificate and schedule may only be reproduced in full.
2. This certificate is not transferable and remains the property of the issuing body.
3. The Status and authenticity of this certificate may be verified by visiting www.iecex.com or use of this QR Code.



Certificate issued by:

IBExU Institut für Sicherheitstechnik GmbH
Certification Body
Fuchsmühlenweg 7
09599 Freiberg
Germany





IECEx Certificate of Conformity

Certificate No.: **IECEx IBE 18.0015X**

Page 2 of 3

Date of issue: 2019-02-19

Issue No: 0

Manufacturer: **eltherm production GmbH**
Ernst-Heinkel-Straße 6-10
57299 Burbach
Germany

Additional
manufacturing
locations:

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEx Quality system requirements. This certificate is granted subject to the conditions as set out in IECEx Scheme Rules, IECEx 02 and Operational Documents as amended

STANDARDS :

The equipment and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards

IEC 60079-0:2011 Explosive atmospheres - Part 0: General requirements
Edition:6.0

IEC 60079-31:2013 Explosive atmospheres - Part 31: Equipment dust ignition protection by enclosure "t"
Edition:2

IEC 60079-7:2015 Explosive atmospheres – Part 7: Equipment protection by increased safety "e"
Edition:5.0

This Certificate **does not** indicate compliance with safety and performance requirements other than those expressly included in the Standards listed above.

TEST & ASSESSMENT REPORTS:

A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in:

Test Report:

[DE/IBE/ExTR18.0012/00](#)

Quality Assessment Report:

[FR/INE/QAR12.0007/04](#)



IECEx Certificate of Conformity

Certificate No.: **IECEx IBE 18.0015X**

Page 3 of 3

Date of issue: 2019-02-19

Issue No: 0

EQUIPMENT:

Equipment and systems covered by this Certificate are as follows:

The LED light and splice are used in electrical heating circuits / heating cables with parallel trace heaters in Ex-protected areas.

Power supply: 100 - 277 V AC (50 Hz)

Power: 4 W (Ex-It-L)

ambient temperature range: -20 °C ... +55 °C

SPECIFIC CONDITIONS OF USE: YES as shown below:

- Cleaning only with a damp cloth.
- Article must not be operated in the vicinity of high-charging processes.
- The ambient temperature range is -20 °C to +55 °C
- Only eltherm Lighting unit type EL- EOL (IECEx EPS 17.0091U) within the range of tested serial numbers can be used.